

Attaching the InFocus to the V-Station

1. Place the InFocus projector on the top of the cart.
2. Locate the cable shown below in figure 1 (if new install it is located in the InFocus box).



Figure 1

3. Go to the back door of the cart and open the door.
4. Plug the blue connector into the VGA port shown in figure 2 below.

VGA Connection




Figure 2

5. Do not plug the USB connector into any port.

Attaching the InFocus to the V-Station

6. Take the other end of the cable which is labeled “A” and push it through the hole on the top of the cart. See figure 3 below.




Figure 3

7. Connect the cable end labeled “A” to the InFocus project connection labeled “PC 1”. See Figure 4 below.

PC 1 Connection




Figure 4

Power Connection

8. Next locate the power cord and connect it to the InFocus project. See Figure 4 above.
9. Take the plug in of the power cord and push it through the hole on the top of the cart. See figure 5 below.



Figure 5

Attaching the InFocus to the V-Station

10. Go to the back of the cart and open the door.
11. Locate the power cord you just pushed through the top hole and push it through the hole located on the self. See figure 6 below:



Figure 6

12. Go to the front of the cart and open the door.
13. Locate the power cord you just pushed through the shelf hole and plug it into the power strip.
14. Locate the security lock down ring for the camera it will look like what is pictured in figure 7 below.



Figure 7

15. Apply three drops of LocTite to the bottom of the security ring see figure 8 below.



Figure 8

Attaching the InFocus to the V-Station

16. Attach the security ring to the bottom of the camera hold for approximately one minute for the locTite to secure the ring. See figure 9 below.



Figure 9

17. Locate the lock down cable it will look like what is pictured in figure 10 below.



Figure 10

18. Locate the handle on the V-Station cart. See figure 11 below.



Figure 11

19. Take the loop of the lock down cable and push it through the hand of the cart.
20. Take the lock end and pull it through the loop of the lock down cable.

Attaching the InFocus to the V-Station

21. Take the lock end of the lock down cable and run it through the security loop you attached to the camera. See figure 12 below.



Figure 12

22. Take the lock end and attach to the back of the InFocus projector. See figure 13 below.

Security Port



Figure 13

19. You have now installed the InFocus projector to the V-Station.
20. Locate the zip tie see figure 14 below.



Figure 14

Attaching the InFocus to the V-Station

21. Loosen the knob on the camera pod see figure 15 below.




Figure 15

22. Extend the camera pod to highest point.
23. Locate the wires which are attached to the camera and leaving just a little bit of slack place the wire tie around the camera pod and wires to relieve the tension from the hanging down. Ensure you do not get the cable lock in the tie rap. See figure 16 below.



Figure 16

24. Once you have completed step 23 please lower the camera pod to the original position.